

Florida References

Florida Department of Health, Bureau of HIV/AIDS (2003). United States and Florida HIV/AIDS Fact Sheet. Accessed September, 2003 at http://www.doh.state.fl.us/disease_ctrl/aids/trends/trends.html.

Florida Department of Health (2003). Model Protocol for HIV Counseling and Testing for County Health Departments and Registered Testing Programs. Accessed September, 2003 at http://www.doh.state.fl.us/disease_ctrl/aids/legal/ctforchd.htm.

Hartog, J P. (1999). *Florida Omnibus AIDS Act: A brief legal guide for healthcare professionals*. Florida Department of Health.

The 1999 Florida Statutes: 455.604 accessed at http://www.leg.state.fl.us/Statutes/index.cfm?App_mode=Display_Statute&Search_String=&URL=Ch0455/SEC604.HTM&Title=->1999->Ch0455->Section604

The 1999 Florida Statutes: 384.25 accessed at http://www.leg.state.fl.us/Statutes/index.cfm?App_mode=Display_Statute&Search_String=&URL=Ch0384/SEC25.HTM&Title=->1999->Ch0384->Section25

The 1999 Florida Statutes: 381.004
http://www.leg.state.fl.us/Statutes/index.cfm?App_mode=Display_Statute&Search_String=&URL=Ch0381/SEC004.HTM&Title=->1999->Ch0381->Section004

References

American College of Obstetricians and Gynecologists. (1999). ACOG News Release on Scheduled C-sections for HIV positive women. [On-line] <http://www.acog.org>

Aron, J. (1994). Optimization of nutritional support in HIV disease. In R. R. Watson (Ed.), *Nutrition and AIDS* (pp. 215-233). Boca Raton, FL: CRC Press.

Atkinson, J.H. & Grant, I. (1994). Natural history of neuropsychiatric manifestations of HIV disease. *Psychiatric Clinics of North America*, 17(17), 33.

Bartlett, J. & Gallant, J. (2003). *2003 Management of HIV Infection*. Johns Hopkins University: Baltimore.

Butters, E, Higginson, I & George, R. (1993). Palliative care needs of patients referred to two HIV/AIDS community teams. *International Conference on AIDS*, 9(1), 522 (abstract no. PO-B34-2322).

Casey, K. (1997). Malnutrition associated with HIV/AIDS. Part one: Definition and scope, epidemiology and pathophysiology. *Journal of the Association of Nurses in AIDS Care*, 8(3), 24-34.

Centers for Disease Control and Prevention (2003). Basic Statistics. Accessed August 2003 at <http://www.cdc.gov/hiv/stats.htm#cumajds>.

Centers for Disease Control and Prevention (2003a). *Advancing HIV Prevention: New Strategies for a Changing Epidemic-United States*. Accessed August, 2003 at <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5215a1.htm>.

Centers for Disease Control and Prevention (2003b). List of Trends. Accessed August 2003 at <http://www.cdc.gov/nchs/data/hus/tables/2002/02hus043.pdf>.

Centers for Disease Control and Prevention (2003c). Incorporating HIV Prevention into the Medical Care of Persons Living with HIV. *MMWR* July 18, 2003/52(RR12); 1 - 24. Accessed August, 2003 at <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5212a1.htm>

Centers for Disease Control and Prevention (2002a). A glance at the HIV Epidemic, HIV/AIDS Update. Accessed August, 2003 at <http://www.cdc.gov/nchstp/od/news/At-a-Glance.pdf>.

Centers for Disease Control and Prevention (2002b). US Public Health Service Task Force Recommendations for Use of Antiretroviral Drugs in Pregnant HIV-1 Infected Women for Maternal Health and Interventions to Reduce Perinatal HIV-1 Transmission in the United States. *MMWR* November 22, 2002/51(RR18); 1-38.

Centers for Disease Control and Prevention. Web-based Injury Statistics Query and Reporting System (WISQARS) [Online]. (2002). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention (producer). Available from: URL: www.cdc.gov/ncipc/wisqars. [2003, 7/11].

Centers for Disease Control and Prevention (2001). Revised guidelines for HIV counseling, testing, and referral. *MMWR*, 50 (RR19), 1-58.

Centers for Disease Control and Prevention. (1999a). HIV/AIDS Surveillance Report, 10(2), 1-43.

Centers for Disease Control and Prevention. (1999b). Updated HIV Treatment Guidelines. [Online].

Centers for Disease Control and Prevention. (1999c). Guidelines for the prevention of opportunistic infections in persons with Human Immunodeficiency Virus, 48, 40-42.

Centers for Disease Control and Prevention. (1998). Public health service task force recommendations for the use of antiretroviral drugs in pregnant women infected with HIV-1 for maternal health and for reducing perinatal HIV-1 transmission in the United States. *Morbidity and Mortality Weekly Report*, 47, 1-30.

Centers for Disease Control and Prevention. (1996). Physical activity and health: A report of the Surgeon General. *Morbidity and Mortality Weekly Report*, 45, 591-592.

Chesney, MA, Folkman, S. & Chambers, D. (1996). Coping effectiveness training decreases distress in men living with HIV/AIDS. *International Conference on AIDS*, 11(2), 50.

Eller, L.S. (1995). Effects of two cognitive-behavioral interventions on immunity and symptoms in persons with HIV. *Annals of Behavior Medicine*, 17, 339-344.

Fantoni, M., Ricci, F., DelBorgo, C., Izzì, I., Damiano, F., Moscati, A., Marasca, G., Bevilacqua, N., & Del Forno, A. (1997) Multicentre study on the prevalence of symptoms and somatic treatment in HIV infection. Central Italy PRESINT group. *Journal of Palliative Care*, 13(2), 9-13.

Ferri, R. (2000). Initiating antiretroviral therapy. *HIV Frontline*, 40, 1-3.

Flaskerud, J.H., & Miller, E. (1999). In J.H. Flaskerud & P. Ungvarski, (Eds.), *HIV/AIDS: A guide to primary care management* (pp. 255-291). Philadelphia:PA: WB Saunders Co.

Flaskerud, J.H., & Ungvarski, P. (Eds.) (1999). *HIV/AIDS: A guide to primary care management*. Philadelphia, PA: WB Saunders Co.

Foley, F.J., Flannery, J., Graydon, D., Flintoft, G., & Cook, D. (1995). *Journal of Palliative Care, Journal of Palliative Care*, 11(2), 19-22.

Freeman, E. M., & MacIntyre, R.C. (1999). Evaluating alternative treatments for HIV infection. In D.W. Sherman (Ed.), *HIV/AIDS update. Nursing Clinics of North America* (pp. 147-162). Philadelphia,PA: WB Saunders Co.

Greenspan, J.S., & Greenspan, D. (1997) Oral complications of HIV infection. In M.A. Sande & P.A. Volberding (Eds.). *The Medical Management of AIDS* (pp.224-240). Philadelphia, PA: WB Saunders Co.

Hammer, S.M. (1999). Strategies for treatment and management of antiretroviral failures. *Improving the Management of HIV Disease*, 7(2), 12-16.

Hecht, F.M., Colfax, G., Swanson, M. et al. (1998) Adherence and effectiveness of protease inhibitors in clinical practice. In *Program and Abstracts of the 5th Conference on Retrovirus and Opportunistic Infections*, Chicago, IL.

Kaplan, J., Masur, H., & Holmes, K. (1995) *USPHS/IDSA Guidelines for the pre-opportunistic infections in persons infected with human immunodeficiency virus: Introduction. Clinical Infectious Disease*, 21, S1-S11.

Kemp, C., & Stepp, L. (1995). Palliative care for patients with acquired immunodeficiency syndrome. *The American Journal of Hospice and Palliative Care*, 9(5), 14-27.

Kinara, M. (1996). Transcendental meditation: A coping mechanism for HIV-positive people. *International Conference on AIDS*, 11, 34-39.

Kirstein, V.L., & Whipple, B. (1998). Treating HIV disease: Hope on the horizon. *Nursing98*, 11, 34-39.

Kirton, C.A., Ferri, R.S. & Eleftherakis, V. (1999). Primary Care and case management of persons with HIV/AIDS. In D.W. Sherman (Ed). *HIV/AIDS update* (pp.71-93). *Nursing Clinics of North America*. Philadelphia, PA; WB Saunders Co.

Lee, S.T. (1996). Holistic approach with spiritual support enhance people with HIV/AIDS. *International Conference on AIDS*, 11(2), 423.

Melroe, N. H., Stawrz, K.E., & Simpson, J. (1997). HIV RNA quantitation: Marker of HIV infection. *Journal of the Association of Nurses in AIDS Care*, 8(5), 31-38.

Newshan, G. & Sherman, D.W. Palliative care: Pain and symptom management in persons with HIV/AIDS. In D.W. Sherman (Ed.) *HIV/AIDS update* (pp.131-145). *Nursing Clinics of North America*. Philadelphia, PA: WB Saunders Co.

Nichel, J., Salsberry, P., Caswell, R., Keller, M., Long. T. & O'Connell, M. (1996). Quality of life in nurse case management of persons with AIDS receiving home care. *Research in Nursing and Health*, 19, 91-99.

Nieman, D. (1996). Exercise immunology: Practical applications. *International Journal of Sport Medicine*, 18 (Suppl 1), 91-100.

O'Keefe, E.A. & Wood, R. (1996). Quality of life in HIV infection. *Scan J Gastroenterology*, 31 (Suppl 221), 30-2.

O'Neill, J. & Alexander, C. (1997) Palliative medicine and HIV/AIDS. *HIV/AIDS Management in Office Practice*, 24(3), 607-615.

Porche, D. (1999). State of the art: Antiretroviral and prophylactic treatments in HIV/AIDS. In D.W. Sherman (Ed.) *HIV/AIDS update* (pp. 95-112). Nursing Clinics of North America. Philadelphia: WB Saunders Co.

Public Health Service Task Force Recommendations for the use of Antiretroviral Drugs in Pregnant HIV-1 Infected Women for Maternal Health and Intervention to Reduce Perinatal HIV-1 Transmission in the United States (2003), at <http://www.aidsinfo.nih.gov>.

Ragsdale, D., Kortarba, J. & Morrow, J. (1992). Quality of life of hospitalized persons with AIDS. *Image: Journal of Nursing Scholarship*, 24, 259-265.

Ragsdale, D., & Morrow, J. (1992) Quality of life as a function of HIV classification. *Nursing Research*, 39(6), 355-359.

Rene, E., & Roze, C. (1991). Diagnosis and treatment of gastrointestinal infections in AIDS. In D. Kotler (Ed.) *Gastrointestinal and Nutritional Manifestations of AIDS* (pp. 65-92). New York: Raven.

Ropka, M.E. & Williams, A.B. (1998). *HIV Nursing and Symptom Management*. Sudbury, MA: Jones & Bartlett Publishers.

Semba, R., Graham, P. & Caiaffa, J. (1994). Maternal vitamin A deficiency and mother to child transmission of HIV-1. *Lancet*, 343, 1593-1597.

Shaw, J. & Mahoney, E. (2003). *HIV/AIDS Nursing Secrets*. Henley & Belfus: Philadelphia.

Sherman D.W. & Kirton, C. (1998) Hazardous terrain and over the edge: The survival of HIV-positive heterosexual minority men. *Journal of the Association of Nurses in AIDS Care*, 9(4), 23-24.

Singh, S., Fermie, P. & Peters, W. (1992). Symptom control for individuals with advanced HIV infection in a subacute residential unit. Which symptoms need palliating? *International Conference on AIDS*, 8(2), 428 (abstract).

Stephenson, J. (1999). Health agencies update: Perinatal HIV prevention. *Journal of the American Medical Association*, 282(7), p. 625.

USPHS/IDSA 2001 USPHS/IDSA Guidelines for the Prevention of Opportunistic Infections in Persons Infected with Human Immunodeficiency Virus at http://www.aidsinfo.nih.gov/guidelines/op_infections/OI_112801.pdf.

Von Gunten, C.F., Martinez, J., Neely, K.J. & Von Roenn, J.H. (1995). Aids and palliative medicine: Medical treatment issues. *Journal of Palliative Care*, 11(2), 5-9.

Walsh, T.D. (1991). An overview of palliative care in cancer and AIDS. *Oncology*, 6, 7-11.

William, A.B. (1999). Adherence to highly active antiretroviral therapy. In D.W. Sherman (Ed.) *HIV/AIDS update* (pp. 113-127). Nursing Clinics of North America. Philadelphia, PA: WB Saunders Co.

Yeargin, P., Donnelly, R., & Weyer, D.(ed) (2003). *Clinical Management of the HIV-Infected Adult*. HRSA . <http://www.aids-etc.org>

Yeni, P., Hamer, s., Carpenter, C., Cooper, D., Fischl, M., Getell, J., Gazzard, B., Hirsch, M., Jacobsen, D., Katzenstein, D., Montaner, J., Richman, D., Saag, M., Schechter, M., Schooley, R.,

Thompson, M., Vella, S., & Volberding, P. (2002). Antiretroviral treatment for adult HIV infection in 2002. *JAMA*, 288 (2), p 222-235.