### References

### Part I - Elder Abuse

Administration on Aging (1998). The National Elder Abuse Incidence Study; Final Report, 1998. Department of Health and Human Services

Drayton-Hargrove, S. (2000). Assessing abuse of disabled older adults: A family systems approach. *Rehabilitation Nursing*, 25:4, 136-140.

Elder Abuse Law Center (2000). Why Does Elder Abuse Occur? Accessed July, 2002.

Fulmer, T. (1999). Our Elderly-Harmed, Exploited, Abandoned. *Reflections*, Third Quarter, 1999, 16-18, 46.

Fulmer, T. and Paveza, G. (1998). Neglect in the elderly patient. *Nursing Clinics of North America*, 33:3, 457-467.

Gray-Vickrey, P. (2000). Combating Abuse, Part I: Protecting the Older Adult. *Nursing 2000*, 30:7, 34-38.

Gray-Vickrey, P. (1999). Recognizing Elder Abuse: Learn how to distinguish normal bumps and bruisers from signs of physical abuse. *Nursing 99*, 20:9, 52-53.

Greenberg, S.A.; Ramsey, G.C.; Mitty, E.L. & Flumer, T.(1999). Elder Mistreatment: Case Law and Ethical Issues in Assessment, Reporting and Management. *Journal of Nursing Law*, 6:3, 7-20.

Hogstel, M. O. & Curry, L.C. (1999). Elder Abuse Revisited. *Journal of Gerontological Nursing*, July, 1999, 10-18.

Morris, MR. (1998) Elder abuse: What the law requires. RN, August, 1998, 52-53.

Mumper, CM, (1998). Keeping Elder Abuse at Bay. Nursing 98, December, 64hh1-3.

National Association of Adult Protective Services Administrators (2001). *Elder Abuse Awareness Kit.* Accessed July, 2002 at http://www.elderabusecenter.org/pdf/basics/speakers.pdf

National Center on Elder Abuse. (2002). *Preventing Stress from Becoming Harmful: A Guide for Caregivers.* Accessed July, 2002 at http://www.elderabusecenter.org/pdf/family/fact\_sheet.pdf

National Center on Elder Abuse. *A Fact Sheet on Caregiver Stress and Elder Abuse*. Accessed July, 2002 at <a href="http://www.elderabusecenter.org/pdf/family/fact\_sheet.pdf">http://www.elderabusecenter.org/pdf/family/fact\_sheet.pdf</a>

National Center on Elder Abuse. *Elder Abuse Information Series, No. 1., Types of Elder Abuse in Domestic Settings.* Accessed July, 2002 at http://www.elderabusecenter.org/default.cfm?p=statistics.cfm

National Center on Elder Abuse. *Elder Abuse Information Series, No. 2, Trends in Elder Abuse in Domestic Settings.* Accessed July, 2002 at

http://www.elderabusecenter.org/pdf/family/caregiver.pdf

National Committee for the Prevention of Elder Abuse (2002). *Elder Abuse Figures Prominently at International Aging Forums*. Accessed July, 2002 at <a href="http://www.preventelderabuse.org/new/international.html">http://www.preventelderabuse.org/new/international.html</a>

National Committee for the Prevention of Elder Abuse (1997). *The Role of Culture in Elder Abuse.* Accessed July, 2002 at http://www.preventelderabuse.org/issues/culture.html

The National Institute of Justice. (2001). *Documenting Domestic Violence:How Healthcare Providers Can Help Victims.* US Department of Justice.

Nerenberg, L. and the National Center on Elder Abuse. (2002). *Preventing Elder Abuse by Family Caregivers*. Accessed July, 2002 at http://www.elderabusecenter.org/family/caregiver.pdf

United States General Accounting Office (2002). Report to Congressional Requesters: Nursing Homes, More Can Be Done to Protect Residents from Abuse. GAO-02-312, March, 2002.

Wolfe, S.(1998). Look for signs of abuse. RN, August, 1998, 48-51.

## Part II - Geriatric Depression

#### References

American Association for Geriatric Psychiatry (AAGP). (2004). Late Life Depression: A Fact Sheet. Accessed August, 2005 at http://www.aagpgpa.org/p\_c/depression.asp.

Arnold, E. (2004). Sorting out the 3 D's: Learn how to sift through overlapping signs and symptoms so you can help improve an older patient's quality of life. *Nursing2004*, 34,6, 36-42.

Brown, E.L., Bruce, M.L., Raue, P.J. & Nassisi, P. (2004). How well do clinicians recognize depression in home care patients? *Home Healthcare Nurse*, 22, 8, 569-571.

Cremens, M.C. (1999). Geriatric Psychopharmacology. Psychopharmacology Workshop. Boston: Harvard/Massachusetts General Hospital. October 8, 1999. (Handouts)

Docherty, J.P. (1997). Barriers to the diagnosis of depression in primary care. *The Journal of Clinical Psychiatry*, 58 (Suppl 1), 5-10.

Fava, M. (2000). Weight gain and antidepressants. *Journal of Clinical Psychiatry*, 61 (Suppl 11), 37-41.

Finkel, S.I. (1996). Efficacy and tolerability of antidepressant therapy in the old-old. *The Journal of Clinical Psychiatry*, 56 (Suppl 5), 23-28.

Fisher, K. & Shumaker, L. (2004). Assessment of depression and cognitive impairment among elders in rural housing facilities. *Journal of the American Psychiatric Nurses Association*, 10, 2, 67-72.

Frank, E. (1997). Enhancing patient outcomes: treatment adherence. *The Journal of Clinical Psychiatry*, 58 (Suppl 1), 11-14.

Halter, M.J. (2004). The stigma of seeking care and depression. *Archives of Psychiatric Nursing*, 18, 5, 178-184.

McMahon, A.L. (1997). Elderly Persons in Haber, J, Krainovich-Miller, B, McMahon, AL & Price-Hoskins, P. *Comprehensive Psychiatric Nursing (5<sup>th</sup> Edition)*. St. Louis: Mosby.

Mendes de Leon, C.F., Krumholz, H.M., Seeman, T.S., Vaccarino, V., William, C.S., Kasl, S.V. & Berkman, L.F. (1998). Depression and risk of coronary heart disease in elderly men and women. *Archives of Internal Medicine*,158, 2341-2348.

National Institute of Health. (1991). Diagnosis and Treatment of Depression in Late Life. *National Institutes of Health Consensus Statement*, 9, 3, 1-27.

National Institute of Mental Health (NIMH). (2003). Older Adults: Depression and Suicide Facts. Accessed August, 2005 at http://www.nimh.nih.gov/publicat/elderlydepsuicide.cfm.

National Institute of Neurological Disorders and Stroke (NINDS). (2005). NINDS Dementia Information Page. Accessed August, 2005 at <a href="http://www.ninds.nih.gov/disorders/dementias/dementia.htm">http://www.ninds.nih.gov/disorders/dementias/dementia.htm</a>.

National Mental Health Association. (2005). Depression in Later Life. Accessed August, 2005 at <a href="http://www.nmha.org/infoctr/factsheets/22.cfm">http://www.nmha.org/infoctr/factsheets/22.cfm</a>.

National Mental Health Association. (2005a). Electroconvulsant Therapy. Accessed August, 2005 at <a href="http://www.nmha.org/infoctr/factsheets/ect.cfm">http://www.nmha.org/infoctr/factsheets/ect.cfm</a>.

New York State Office of Mental Health (NYS OMH). (2005). Saving Lives In New York: Suicide Prevention and Public Health. Volume 1, Challenge, Strategy and Policy Recommendations. New York State Office of Mental Health.

Nurse Competence in Aging (NCA). (2005). Want to Know More? Depression. Accessed August, 2005 at

http://www.geronurseonline.org/index.cfm?section\_id=35&geriatric\_topic\_id=15&sub\_section\_id=98&page\_id=224&tab=2#item\_1.

Palmer, C. (2005). Exercise as a treatment for depression in elders. *Journal of the American Academy of Nurse Practitioners*, 17, 2, 60-66.

Pasick, A.. (1999). Depression without sadness: Elderly face their own unique illness. Fox News October 25, 1999.

Oxman, T.E. (1996). Antidepressants and cognitive impairment in the elderly. *Journal of Clinical Psychiatry*, 57 (Suppl 5), 38-44.

Rothschild, A.J. (1996). The diagnosis and treatment of late-life depression. *The Journal of Clinical Psychiatry*, 57 (suppl 5), 5-11.

Rovner, B.W., German, P.S., Brant, L.J. (1991). Depression and mortality in nursing homes. *Journal of the American Medical Association*, 265, 993-996.

Ryden, M.B., Pearson, V., Kaas, M.J., Hanscom, J., Lee, H., Krichbaum, K., Wang, J. & Snyder, M. (1999). Nursing interventions for depression in newly admitted nursing home residents. *Journal of Gerontological Nursing*, 25,3, 21-29.

Sethi, S. & Williams, R.A. (2003). The family caregiving experience of outpatient ECT. *Journal of the American Psychiatric Nurses Association*, 9, 6, 187-194.

Sheikh, J.I., Yesavage, J.A.. (1986). Geriatric Depression Scale: recent evidence and development of a shorter version. *Clinical Gerontology*, 5, 165-172.

Wakefield, B.J., Buckwalter, K.C. & Gerner, L.A. (1998).. Biopsychosocial Care of the Elderly Mentally III in Boyd, MA & Nihart, MA *Psychiatric Nursing Contemporary Practice*. Philadelphia: Lippincott.

Wallis, M.A.. (2000). Looking at depression through bifocal lenses. *Nursing2000*, 30, 9, 58-61.

Yesevage, J.A., Brink, T.L., Rose, T.L., et al. (1983). Development and validation of a geriatric depression rating scale: a preliminary report. *Journal of Psychiatric Research*, 17, 27.

# Part III - HIV and the Elderly

Adler, W. & Nagel, J. (1994). Acquired Immunodeficiency Syndrome in the elderly. <u>Drugs and Aging</u>, <u>4</u> (5), 410-416.

Dunn, M. & Cutler, N. (2000). Sexual issues in older adults. <u>AIDS Patient Care and STDs</u>, <u>14</u> (2), 67-69.

El-Sadr, W. & Gettler, J. (1995). Unrecognized Human Immunodeficiency virus infection in the elderly. <u>Archives of Internal Medicine</u>, <u>155</u>, 184- 186.

Gueldner, S. (1995). The elderly: The silent population. <u>Journal of the Association of Nurses in AIDS</u> <u>Care</u>, <u>6</u> (5), 9-10.

Inungu, J., Mokotoff, E., & Kent, J. (2001). Characteristics of HIV infection in patients fifty years or older in Michigan. <u>AIDS Patient Care and STDs</u>, <u>15</u> (11), 567-573.

Mack, K. & Bland, S. (1999). HIV testing behaviors and attitudes regarding HIV/AIDS of adults aged 50-64. The Gerontologist, 39 (6), 687-694.

Ory, M. & Mack, K. (1998). Middle-aged and older people with AIDS. Research on Aging, 20 (6), 653-663.

Schable, B., Chu, S., & Diaz, T. (1996). Characteristics of women 50 years of age and older with heterosexually acquired AIDS. American Journal of Public Health, 86, 1616-1618.

Shaw, J. (2001). HIV and the older adult: A hidden epidemic. HIV Medical Alert, 5, (3), 1-4.

Siegel, K., Schrimshaw, W., & Ravies, V. (200). Accounts for non-adherence to antiviral combination therapies among older HIV infected adults. <u>Psychology, Health, & Medicine, 5,</u> (1), 29-42.

Stall, R. & Cantina, J. (1994). AIDS risk behaviors among late middle aged and elderly Americans. Archives of Internal Medicine, 154, 57-63.

Zablotsky, D. (1998). Overlooked, ignored, and forgotten: Older women at risk for HIV infection and AIDS. Research on Aging, 20 (6), 760-775.

Zelenetz, P. & Epstein, M. (1998). HIV in the elderly. AIDS Patient Care and STDs, 12 (4), 255-262.

#### Part IV - Alzheimer's Disease and Related Dementias

Albert MS, Levkoff SE, Reilly C, et al. The delirium symptoms interview: an interview for the detection of delirium symptoms in hospitalized patients. *J Geriatr Psychiatry Neurol* 1992;5: 14-21.

American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders, Text Revised. 4th ed. (DSM-IVTR). Washington (DC): American Psychiatric Association;2000.

Anthony JC, LeResche LA, Von Korif MR, et al. Screening for delirium on a general medical ward: the tachistoscope and a global accessibility rating. *Gen Hosp Psychiatry* 1985;7:36-42.

Bakshi, R. Seeing the Brain Better – Neuroimaging Highlights, Report from the 54<sup>th</sup> Annual Meeting of the American Academy of Neurology. Accessed September, 2002 at <a href="http://www.medscape.com/viewarticle/433626">http://www.medscape.com/viewarticle/433626</a>

Bleecker ML, Bolla-Wilson K, Kawas C, et al. Age specific norms for the Mini-Mental State Exam. *Neurology* 1988;38: 1565-8.

Brink TL, Yesavage JA, Lum 0, et al. Screening tests for geriatric depression. Clin Gerontologist 1982;1:37-43.

Costa PT Jr, Williams TF, Somerfield M, et al. *Early identification of Alzheimer's Disease and Related Dementias. Clinical Practice Guideline, Quick Reference Guide for Clinicians, No.19.* Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication No.97-0703. November 1996.

Crum RM, Anthony JC, Bassett SS, et al. Population based norms for the Mini-Mental State Examination by age and educational level. *JAMA*1993;269:2386-91.

Folstein MF, Folstein SE, McHugh PR. "Mini Mental State": a practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res* 1975;12:189-98.

Gottlieb GL, Johnson J, Wanich C, et al. Delirium in the medically ill elderly: operationalizing the DSM-III criteria. *Int Psychogeriatr* 1991;3: 181-96.

Inouye SK, van Dyck CH, Messi CA, et al. Clarifying confusion: the Confusion Assessment Method-a new method for detection of delirium. *Ann Intern Med* 1990; 113:941-8.

Inouye SK, Viscoli CM, Horwitz RI, et al. A predictive model for delirium in hospitalized elderly medical patients based on admission characteristics. *Ann Intern Med* 1993;119:474-81.

Katzman R, Brown T, Fuld P, et al. Validation of a short orientation-memory-concentration test of cognitive impairment. *Am J Psychiatry* 1983; 140:734-9.

Kokmen E, Naessens TM, and Offord, KP. A short test of mental status: description and preliminary results. *Mayo Clin Proc* 1987:62;281-8

MEDLINEplus (2001). Delirium. Medical Encyclopedia. Accessed October, 2002 at http://www.nlm.nih.gov/medlineplus/ency/article/000740.htm.

Morrison RL, Katz IR. Drug-related cognitive impairment: current progress and recurrent problems. *Annu Rev Gerontol Geriatr* 1 989;9:232-79.

National Institutes of Health. Consensus Development Panel on Depression in Late Life. Diagnosis and treatment of depression in late life. *JAMA* 1992;268:1018-24.

Petersen, R, et al. Archives of Neurology (March 1999)

Pfeffer RI, Kurosaki TT, Harrah al. Measurement of functional activities in older adults in the community *J Gerontol* 1982;37:323-9.

Radloff LS. The CES-D scale: a self-report depression scale for research in the general population. *Appl Psychol Measurement* 1977;1:385-401.

Rush JA, Golden WE, Hall GW, et al. *Depression in primary care: Volume 1. Detection and diagnosis. Clinical Practice Guideline No.5.* AHCPR Publication No.93-0550. Rockville, MD: Agency for Health Care Policy and

Research, Public Health Service, U.S. Department of Health and Human Services. April 1993.

White H, Davis PB. Cognitive screening tests: an aid in the care of elderly outpatients. *J Gen Intern Med* 1990;5:438-45.

World Health Organization, Harvard University and The World Bank. *The Global Burden of Disease*. Accessed October, 2002 at <a href="http://www.who.int/msa/mnh/ems/dalys/intro.htm">http://www.who.int/msa/mnh/ems/dalys/intro.htm</a>

Yaffe, C, Grady, D, Lin,F, Barrett-Conner, E. (2002) Cholesterol Bad for Brain Too. Accessed October, 2002 at <a href="http://www.memory-key.com/Seniors/Alzheimers">http://www.memory-key.com/Seniors/Alzheimers</a> 2002.htm#cholesterol.

Yesavage JA. Geriatric depression scale. Psychopharmacol Bull 1988;24:709-11.

## **Further Evaluation**

American Academy of Neurology. Practice parameters for diagnosis and evaluation of dementia (summary statement): report of the Quality Standards
Subcommittee of the American Academy of Neurology. *Neurology* 1
994:44:2203-6.

Clarfield AM. Canadian consensus conference on the assessment of dementia, 5-6 October 1989. Montreal, Quebec: Canadian Consensus Conference on the Assessment of Dementia; 1991.

McKhann G, Drachman D, Folstein M, et al. Clinical diagnosis of Alzheimer's disease: report of the NINCDS-ADRDA Work Group under the auspices of Department of Health and Human Services Task Force on Alzheimer's Disease. Neurology 1984;34:93944.

National Institutes of Health. Differential diagnosis of dementing diseases. Consensus Development Conference Statement 1987 (July);6(II):I-9.

U.S. Department of Veterans Affairs. Dementia: guidelines for diagnosis and treatment, 1989 (revised). VA Publication No. IB 18-3.107 p.

## Part V: Tips of the Trade

Anderson, Mary Ann, PhD,RN,CS, M.Cecilia Wendler, PhD(c),RNCC, and JoAnn G. Congdon, PhD, RN,"Entering the World of Dementia:CAN Interventions for Nursing Home Residents", Journal of Gerontological Nursing, Vol.24, Number 11, November 1998.

Anderson, Gayle, RNC, MS, ANP/GNP, Caring for People with Alzheimer's Disease, Health Professional Press, Baltimore, Maryland, 1995.

Evans, et.al, "East Boston Alzheimer's Disease Reporting", Aging, Sept, Vol. 12, Issue 3, 1990, 298-302.

Feil, Naomi ;Revised with de Klerk-Rubin, Vicki. <u>V/F Validation: The Feil Method: How to HelpDisoriented Old-Old.</u> Edward Feil Productions, 1992.

Hoffman, Stephanie B. and Mary Kaplan, <u>Special Care Programs for People withDementia</u>, Health Professions Press, Inc., Baltimore, Maryland, 1996.

Hogstel, Mildred O., Geropsychiatric Nursing, The C.V. Mosby Company, St. Louis 1990.

Kane, Michael N., PhD.,LCSW,ACSW,"Mental Health Issues and Alzheimer's Disease", <u>American</u> Journal of Alzheimer's Disease, Vol.14, Number 2, March-April, 1999.

Noves, Lin E., Caregiving at a Glance, Family Respite Center, 1991.

Robinson, Anne, et al, <u>Understanding Difficult Behaviors</u>, Eastern Michigan University, Ypsilanti, Michigan, 1989.

Watson, Nancy, PhD, RN, et al.,"Rocking Chair Therapy for Dementia Patients: it's Effects on Psychosocial Well-Being and Balance", <u>American Journal of Alzheimer's Disease</u>", Vol.13, No.6, November-December 1998.