References for Depression An Anthology

Introduction to Anthology

Conti, D., Burton, W.N. (1994). *Economic Impact of Depression in a Workplace*. Journal of Occupational Environmental Medicine, 36, 983-8.

Greden, J.F. (2002). Unmet need: What justifies the search for a new antidepressant? *Journal of Clinical Psychiatry*, 2002, 63 (Supplement 2), 3-7.

Greenberg, P., Stiglin, L., Finkelstein, S., Berndt, E. (1993). *The Economic Burden of Depression in 1990.* Journal of Clinical Psychiatry, 54, 415-8.

National Committee for Quality Assurance (NCQA). (2002). The State of Healthcare Quality, 2002: Antidepressant Medication Management. Accessed May, 2005 at http://www.ncga.org/sohc2002/SOHC 2002 AMM.html#top.

National Institute of Mental Health (January, 2001). *The Burden of Psychiatric Conditions Has Been Heavily Underestimated: The Impact of Mental Illness on Society.* Accessed May 2005 at http://www.nimh.nih.gov/publicat/burden.cfm

World Health Organization (2005). Depression: What is Depression. Accessed May, 2005 at http://www.who.int/mental-health/management/depression/definition/en/.

Part I. Depression in Primary Care: Identifying and Treating a Chronic Illness

American Psychiatric Association (APA). (2000). *Diagnostic and statistical manual of mental disorders*. 4th edition, text revised. Washington, DC: American Psychiatric Press.

American Psychological Association (APA). (2003). Facts About Suicide in Older Adults. Accessed March, 2005 at http://www.apa.org/ppo/issues/oldersuicidefact.html?CFID=2334084&CFTOKEN=37648225.

Centers for Disease Control and Prevention (CDC). Web-based Injury Statistics Query and Reporting System (WISQARS). (2002). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention (producer). Accessed March, 2005at: www.cdc.gov/ncipc/wisgars.

Conti, D., Burton, W.N. (1994). Economic impact of depression in a workplace. *Journal of Occupational Environmental Medicine*, 36, 983-8.

Dartmouth College Trustees. (2004). Depression as a Chronic Disease. Accessed March, 2005 at http://www.depression-primarycare.org/clinicians/other_resources/dep_chronic_disease/.

Depression Guideline Panel. (1993). *Depression in Primary Care: Volume 1, Diagnosis and Detection. Clinical Practice Guideline*, Number 5. Rockville, MD. U.S. Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication, *No.93-0550*.

Depression Guideline Panel. (1993). Depression in Primary Care: Volume 2. Treatment of Major Depression. Clinical Practice Guideline, Number 5. Rockville, MD. U.S. Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication, No.93-0551.

Depression Guideline Panel. (1993). *Depression in Primary Care: Guideline Report*. Rockville, MD. U.S. Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research.

Goodwin, F.K., Jamison, K.R. (1990). *Manic-depressive illness*. New York: Oxford University Press; 1990.

Greden, J.F. (2002). Unmet need: What justifies the search for a new antidepressant? *Journal of Clinical Psychiatry*, 2002; 63 (Supplement 2), 3-7.

Greenberg, P., Stiglin, L., Finkelstein, S., Berndt, E. (1993). *The Economic Burden of Depression in 1990. Journal of Clinical Psychiatry*, 54, 415-8.

Hoyert, D.L., Kochanek, K.D., Murphy, S.L. (1999). Deaths: final data for 1997. *National Vital Statistics Report*, 47(19). DHHS Publication No. 99-1120. Hyattsville, MD: National Center for Health Statistics.

Institute for Clinical Systems Improvement (ICSI). Major depression in adults in primary care. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2004 May. Accessed March, 2005 at http://www.guideline.gov/summary/summary.aspx?doc_id=5300.

Jackson, J.L., Houston, J.S., Hanling, S.R., Terhaar, K.A., Yn, J.S. (2002). Clinical predictors of mental disorders among medical outpatients. *Archives of Internal Medicine*, 161, 875-879.

Kroenke, K., Spitzer, R.L., Williams, J.B.W., Linzer, M., Hahn, S.R., deGruy, F.V., Brody, D. (1994). Physical symptoms in primary care: predictors of psychiatric disorders and functional impairment. *Archives of Family Medicine*, 3, 774-779.

Kroenke, K. (1997). Discovering depression in medical patients: reasonable expectations. *Annals of Internal Medicine*, 26, 6, 463-464.

Minino, A.M., Arias, E., Kochanek, K.D., Murphy, S.L., Smith, B.L. (2002). Deaths: final data for 2000. *National Vital Statistics Reports*, 50(15). Hyattsville, MD: National Center for Health Statistics.

Miranda, J., Hohman, A.A., Attkisson, C.C. & Larson, D.B. (1994). *Mental disorders in primary care*. San Francisco: Jossey-Bass Publishers.

National Alliance for the Mentally III. (2005). People With Mental Illness Enrich Our Lives. Accessed March, 2005 at http://www.nami.org/Template.cfm?Section=Helpline1&template=/ ContentManagement/ContentDisplay.cfm&ContentID=4858.

National Committee for Quality Assurance (NCQA). (2002). The State of Healthcare Quality, 2002: Antidepressant Medication Management. Accessed March, 2005 at http://www.ncqa.org/sohc2002/SOHC_2002_AMM.html#top.

National Institute of Mental Health (NIMH). (2005). Depression. Accessed February, 2005 at http://www.nimh.nih.gov/HealthInformation/Depressionmenu.cfm.

National Institute of Mental Health (NIMH). (2003). Suicide Facts (Updated April 11, 2003). Accessed March, 2005 at http://www.nimh.nih.gov/suicideprevention/suifact.cfm.

National Institute of Mental Health (NIMH). (Updated, 2002). Depression Research at the National Institute of Mental Health: Fact Sheet. Accessed March, 2005 at http://www.nimh.nih.gov/publicat/depresfact.cfm.

National Institute of Mental Health (NIMH). (1999, updated, 2004). Frequently Asked Questions About Suicide. Accessed March, 2005 at http://www.nimh.nih.gov/suicideprevention/suicidefaq.cfm.

National Institute of Mental Health (NIMH). (1999). Women Hold Up Half the Sky. Updated June 1999. Accessed February, 2005 at http://www.nimh.nih.gov/publicat/womensoms.cfm

National Strategy for Suicide Prevention (NSSP). (2003). Suicide: Lifetime risk for suicide in depression. Accessed March, 2005 at http://www.mentalhealth.org/suicideprevention/risks.asp.

Saur, C.D., Harpole, L.H., Steffens, D.C., Fulcher, C.D., Porterfield, Y., Haverkamp, R., Kivett, D., Unutzer, J. (2002). Treating depression in primary care: an innovative role for mental health nurses. *Journal of the American Psychiatric Nurses Association*, 8 5, 159-167.

Sheline, Y.I., Wan, P.W., Gado, M.H., Csernansky, J.G., Vnnier, M.W. (1996). Hippocampal atrophy in recurrent major depression. *Proceedings of the National Academy of Sciences of the United States of America*, 93,3908-3913.

US Preventive Services Task Force. (2002). *Screening for Depression*. Recommendations and Rationale. Agency for Healthcare Research and Quality, Rockville, MD. Accessed March, 2005 at http://www.ahrq.gov/clinic/3rduspstf/depression/depressrr.htm.

Weiner, B., Perry, R. P., & Magnusson, J. (1988). An attributional analysis of reactions to stigmas. *Journal of Personality and Social Psychology*, 55, 5, 738-748.

Weissman, M.M., Bland, R.C., Canino, G.J., Faravelli, C., Greenwald, S., Hwu, H.G., Joyce, P.R., Karam, E.G., Lee, C.K., Lellouch, J., Lepine, J.P., Newman, S.C., Rubin-Stiper, M., Wells, J.E., Wickramaratne, P.J., Wittchen, H., & Yeh, E.K. (1996). Cross-national epidemiology of major depression and bipolar disorder. *Journal of the American Medical Association*, 1996;276:293-9.

Part II: Mood Disorders in Women: Why Are So Many Suffering?

About.com. (2004). Bipolar Celebrities. Accessed May, 2004 at http://bipolar.about.com/cs/celebs/a/bl_celebrities.htm.

Administration on Aging, Department of Health and Human Services. (1998). Identifying and Coping with Depression: Men vs. Women. *Women and Aging Letter*, 2, 5.

American Osteopathic Association. (2003). Depression Can Strike Anyone. Accessed online May, 2004 at http://www.aoa-net.org/Consumers/depression.htm.

American Psychiatric Association. (2000). *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition, Text Revision. Washington, DC: American Psychiatric Association.

American Psychological Association. (2002). *Briefing Sheet: Women and Depression*. Accessed February, 2002 at http://www.apa.org/ppo/issues/pwomenanddepress.html

Blehar, M.C., Oren, D.A. (1997). Gender differences in depression. *Medscape Women's Health*, 2,3. Revised from: Women's increased vulnerability to mood disorders: Integrating psychobiology and epidemiology. *Depression*, 1995, 3, 3-12.

Brommelhoff, J.A., Conway, K., Merikangas, K., Levy, B.R. (2004). Higher rates of depression in women: Role of gender bias within the family. *Journal of Women's Health*, 13, 1, 69-76.

Cox, J.L., Holden, J.M. & Sagovsky, R. (1987). The Edinburgh Postnatal Depression Scale (EPDS). *British Journal of Psychiatry*, 150.

Cyranowski, J.M., Frank, E., Young, E., Shear, M.K. (2000). Adolescent onset of the gender difference in lifetime rates of major depression. *Archives of General Psychiatry*, 57, 21-27.

Demitrack, M.A. (2002). Can monoamine-based therapies be improved? *Journal of Clinical Psychiatry*, 63 (Supplement 2), 14-18.

Depression Awareness, Recognition, and Treatment (D/ART) Program. *Depression: What Every Woman Should Know*, Revisions were made by Margaret Strock, staff member in the Information Resources and Inquiries Branch, Office of Communications and Public Liaison, National Institute of Mental Health (NIMH).

Fava, M. (2000). Weight gain and antidepressants. *Journal of Clinical Psychiatry*, 61 (Supplement 11), 37-41.

Frank, E., Karp, J.F., & Rush, A.J. (1993). Efficacy of treatments for major depression. *Psychopharmacology Bulletin*, 29, 457-75.

Greden, J.F. (2002). Unmet need: What justifies the search for a new antidepressant? *Journal of Clinical Psychiatry*, 63 (Supplement 2), 3-7.

Grigoriadis, S., Kennedy, S.H., Bagby, R.M. (2003). A comparison of antidepressant response in younger and older women. *The Journal of Clinical Psychopharmacology*. 23, 4, 405-407.

Gumnick, J. F. & Nemeroff, C. B. (2000). Problems with currently available antidepressants. *Journal of Clinical Psychiatry*, 61 (Supplement 10), 5-15.

Heim, C., Newport, D.J., Heit, S., Graham, Y.P., Wilcox, M., Bonsall, R., Miller, A.H., Nemeroff, C.B. (2000). Pituitary-adrenal and autonomic responses to stress in women after sexual and physical abuse in childhood. *JAMA*, 284, 592-597.

Hoyert, D.L., Kochanek, K.D., Murphy, S.L. (1999). Deaths: final data for 1997. *National Vital Statistics Report*, 47(19). DHHS Publication No. 99-1120. Hyattsville, MD: National Center for Health Statistics.

Laraia, M. (1997). Biology, Brain, and Behavior: A Psychiatric Nursing Perspective. Washington, DC: American Psychiatric Association.

Lebowitz, B.D., Pearson, J.L., Schneider, L.S., Reynolds, C.F., Alexopoulos, G.S., Bruce, M.L., Conwell, Y., Katz, I.R., Meyers, B.S., Morrison, M.F., Mossey, J., Niederehe, G., & Parmelee, P.

(1997). Diagnosis and treatment of depression in late life: Consensus statement update. *Journal of the American Medical Association*, 278, 1186-90.

Leibenluft, E. Why are So Many Women Depressed? Scientific American.

Lewisohn, P.M., Hyman, H., Roberts, R.E., Seeley, J.R., & Andrews, J.A. (1993). Adolescent psychopathology: Prevalence and incidence of depression and other DSM-III-R disorders in high school students. *Journal of Abnormal Psychology*, 102, 133-44.

Mayo Health Clinic. (1997). Understanding Prozac. *Mayo Health Oasis*. Rochester, MN: Mayo Foundation for Medical Education and Research.

McGrath, E., Keita, G. P., Stickland, B. R., & Russo, N. F. (1990). Women and depression: Risk factors and treatment issues. Washington, DC: American Psychological Association.

Murray, C.J.L., Lopez, A.D., eds. *Summary: The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020.* Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996. http://www.who.int/msa/mnh/ems/dalys/intro.htm

Narrow, W.E. (1998). One-year prevalence of depressive disorders among adults 18 and over in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished. Accessed at http://www.nimh.nih.gov/publicat/numbers.cfm#5

National Alliance for the Mentally III. (2001). *Pregnancy Pointers for Women with a Psychiatric History.*

National Center for Health Statistics, Centers for Disease Control and Prevention. (1994). *Health, United States* 1995. Hyattsville, MD: U.S. Public Health Service.

National Institute of Mental Health (September, 1997). Genetics and Mental Disorders. Accessed February, 2002 at http://www.nimh.nih.gov/research/genetics.htm#gen1.

National Institute of Mental Health. (2001). Women Hold Up Half the Sky. Accessed March 2005 at http://www.nimh.nih.gov/publicat/womensoms.cfm.

National Institute of Mental Health. (2000). *Depression: What Every Woman Should Know.* Accessed February, 2004 at http://www.nimh.nih.gov/publicat/depwomenknows.cfm#ptdep4.

National Institute of Mental Health. (2001a). Depression Research at the National Institute of Mental Health, Fact Sheet. Accessed February, 2004 at http://www.nimh.nih.gov/publicat/depresfact.cfm.

National Institute of Mental Health (January, 2001c). The Burden of Psychiatric Conditions Has Been Heavily Underestimated: The Impact of Mental Illness on Society. Accessed March 2004 at http://www.nimh.nih.gov/publicat/burden.cfm.

National Mental Health Association. (1996). American Attitudes about Clinical Depression and its Treatment. Accessed February, 2004 at http://www.nmha.org/infoctr/factsheets/23.cfm#_edn14

National Mental Health Association. (2000). Depression in Women. Accessed February, 2002 at http://www.nmha.org/infoctr/factsheets/23.cfm

Office of Women Health of the US Department of Health and Human Services. (2003). Achieving Remission in Depression: Managing Women and Men in the Primary Care Setting. Clinical Courier. Vol 21, No 32, September, 2003. Accessed online May, 2004 at http://www.4woman.gov/healthpro/contedu/Clinical_Courier_8.pdf.

Prevent Child Abuse America (1995). Sexual Abuse of Children. Accessed March 2002, at http://www.preventchildabuse.org/learn_more/research.html

Regier, D.A., Farmer, M.E., Rae, D.S., Locke, B.Z., Keith, S.J., Judd, L.L., & Goodwin, F.K. (1993). Comorbidity of mental disorders with alcohol and other drug abuse: Results from the epidemiologic catchment area (ECA) study. *Journal of the American Medical Association*, 264, 2511-8.

Reynolds, C.F., Miller, M.D., Pasternak, R.E., Frank, E., Perel, J.M., Cornes, C., Houck, P.R., Mazumdar, S., Dew, M.A., & Kupfer, D.J. (1999). Treatment of bereavement-related major depressive episodes in later life: A controlled study of acute and continuation treatment with nortriptyline and interpersonal psychotherapy. *American Journal of Psychiatry*, 156, 202-8.

Robins, L.N. & Regier, D.A. (Eds). (1990). *Psychiatric Disorders in America, The Epidemiologic Catchment Area Study*. New York: The Free Press.

Rubinow, D.R., Schmidt, P.J., & Roca, C.A. (1998). Estrogen-serotonin interactions: Implications for affective regulation. *Biological Psychiatry*, 44, 9, 839-50.

Seligman, M.E.P. (1995). The effectiveness of psychotherapy, The Consumer Reports Study. *American Psychologist*, 50, 12, 965–974. Accessed February, 2002 at http://www.apa.org/journals/seligman.html

Sichel, D. & Driscoll, J.W. (1999). Women's Mood: What Every Woman Must Know About Hormones, The Brain, and Emotional Health. New York: Harper Collins.

Soares, C.N. (2004). Unmet Needs in the Treatment of Depression and Anxiety Disorders: Women's Mental Health (lecture notes). 2004 Interactive Faculty-Led Teleconference Series. Wyeth Pharmaceuticals. March, 2004.

Taylor, S.E., Cousino-Klein, L., Lewis, B.P., Gruenewald, T.L., Gurung, R.A.R., & Updegraff, J.A. (2000). Biobehavioral responses to stress in females: Tend-and-befriend, not fight-or-flight. *Psychological Review*, 107, 3, 411-429.

Tjaden, P. & Thoennes, N. (2000). Extent, Nature, and Consequences of Intimate Partner Violence. Research in Brief. National Institute of Justice and the Centers for Disease Control and Prevention.

Vainionpaa, L.K., Rattya, J., Knip, M., Tapanainen, J.S., Pakarinen, A.J., Lanning, P., Tekay, A., Myllyla, W., Isojarvi, J.I. (1999). Valproate-induced hyperandrogenism during pubertal maturation in girls with epilepsy. *Annals of Neurology*, 45, 4, 444-50.

Weissman, M.M., Bland, R.C., Canino, G.J., Faravelli, C., Greenwald, S., Hwu, H.G., Joyce, P.R., Karam, E.G., Lee, C.K., Lellouch, J., Lepine, J.P., Newman, S.C., Rubin-Stiper, M., Wells, J.E., Wickramaratne, P.J., Wittchen, H., & Yeh, E.K. (1996). Cross-national epidemiology of major depression and bipolar disorder. *Journal of the American Medical Association*, 276, 293-9.

Weissman, M.M., Bland, R.C., Canino, G.J. (1999). Prevalence of suicide ideation and suicide attempts in nine countries. *Psychological Medicine*, 29, 1, 9-17.

World Health Organization, Harvard University and The World Bank. *The Global Burden of Disease*. Accessed March 2002 at http://www.who.int/msa/mnh/ems/dalys/intro.htm

Wyn, R. & Solis, B. (2001). Women's health issues across the lifespan. *Women's Health Issues*, 11, 3.

Part III. Geriatric Depression

References

American Association for Geriatric Psychiatry (AAGP). (2004). Late Life Depression: A Fact Sheet. Accessed August, 2005 at http://www.aagpgpa.org/pc/depression.asp.

Arnold, E. (2004). Sorting out the 3 D's: Learn how to sift through overlapping signs and symptoms so you can help improve an older patient's quality of life. *Nursing2004*, 34,6, 36-42.

Brown, E.L., Bruce, M.L., Raue, P.J. & Nassisi, P. (2004). How well do clinicians recognize depression in home care patients? *Home Healthcare Nurse*, 22, 8, 569-571.

Cremens, M.C. (1999). Geriatric Psychopharmacology. Psychopharmacology Workshop. Boston: Harvard/Massachusetts General Hospital. October 8, 1999. (Handouts)

Docherty, J.P. (1997). Barriers to the diagnosis of depression in primary care. *The Journal of Clinical Psychiatry*, 58 (Suppl 1), 5-10.

Fava, M. (2000). Weight gain and antidepressants. *Journal of Clinical Psychiatry*, 61 (Suppl 11), 37-41.

Finkel, S.I. (1996). Efficacy and tolerability of antidepressant therapy in the old-old. *The Journal of Clinical Psychiatry*, 56 (Suppl 5), 23-28.

Fisher, K. & Shumaker, L. (2004). Assessment of depression and cognitive impairment among elders in rural housing facilities. *Journal of the American Psychiatric Nurses Association*, 10, 2, 67-72.

Frank, E. (1997). Enhancing patient outcomes: treatment adherence. *The Journal of Clinical Psychiatry*, 58 (Suppl 1), 11-14.

Halter, M.J. (2004). The stigma of seeking care and depression. *Archives of Psychiatric Nursing*, 18, 5, 178-184.

McMahon, A.L. (1997). Elderly Persons in Haber, J, Krainovich-Miller, B, McMahon, AL & Price-Hoskins, P. *Comprehensive Psychiatric Nursing (5th Edition)*. St. Louis: Mosby.

Mendes de Leon, C.F., Krumholz, H.M., Seeman, T.S., Vaccarino, V., William, C.S., Kasl, S.V. & Berkman, L.F. (1998). Depression and risk of coronary heart disease in elderly men and women. *Archives of Internal Medicine*,158, 2341-2348.

National Institute of Health. (1991). Diagnosis and Treatment of Depression in Late Life. *National Institutes of Health Consensus Statement*, 9, 3, 1-27.

National Institute of Mental Health (NIMH). (2003). Older Adults: Depression and Suicide Facts. Accessed August, 2005 at http://www.nimh.nih.gov/publicat/elderlydepsuicide.cfm.

National Institute of Neurological Disorders and Stroke (NINDS). (2005). NINDS Dementia Information Page. Accessed August, 2005 at http://www.ninds.nih.gov/disorders/dementias/dementia.htm.

National Mental Health Association. (2005). Depression in Later Life. Accessed August, 2005 at http://www.nmha.org/infoctr/factsheets/22.cfm.

National Mental Health Association. (2005a). Electroconvulsant Therapy. Accessed August, 2005 at http://www.nmha.org/infoctr/factsheets/ect.cfm.

New York State Office of Mental Health (NYS OMH). (2005). Saving Lives In New York: Suicide Prevention and Public Health. Volume 1, Challenge, Strategy and Policy Recommendations. New York State Office of Mental Health.

Nurse Competence in Aging (NCA). (2005). Want to Know More? Depression. Accessed August, 2005 at

http://www.geronurseonline.org/index.cfm?section_id=35&geriatric_topic_id=15&sub_section_id=98&page_id=224&tab=2#item_1.

Palmer, C. (2005). Exercise as a treatment for depression in elders. *Journal of the American Academy of Nurse Practitioners*, 17, 2, 60-66.

Pasick, A.. (1999). Depression without sadness: Elderly face their own unique illness. Fox News October 25, 1999.

Oxman, T.E. (1996). Antidepressants and cognitive impairment in the elderly. *Journal of Clinical Psychiatry*, 57 (Suppl 5), 38-44.

Rothschild, A.J. (1996). The diagnosis and treatment of late-life depression. *The Journal of Clinical Psychiatry*, 57 (suppl 5), 5-11.

Rovner, B.W., German, P.S., Brant, L.J. (1991). Depression and mortality in nursing homes. *Journal of the American Medical Association*, 265, 993-996.

Ryden, M.B., Pearson, V., Kaas, M.J., Hanscom, J., Lee, H., Krichbaum, K., Wang, J. & Snyder, M. (1999). Nursing interventions for depression in newly admitted nursing home residents. *Journal of Gerontological Nursing*, 25,3, 21-29.

Sethi, S. & Williams, R.A. (2003). The family caregiving experience of outpatient ECT. *Journal of the American Psychiatric Nurses Association*, 9, 6, 187-194.

Sheikh, J.I., Yesavage, J.A.. (1986). Geriatric Depression Scale: recent evidence and development of a shorter version. *Clinical Gerontology*, 5, 165-172.

Wakefield, B.J., Buckwalter, K.C. & Gerner, L.A. (1998).. Biopsychosocial Care of the Elderly Mentally III in Boyd, MA & Nihart, MA *Psychiatric Nursing Contemporary Practice*. Philadelphia: Lippincott.

Wallis, M.A.. (2000). Looking at depression through bifocal lenses. Nursing2000, 30, 9, 58-61.

Yesevage, J.A., Brink, T.L., Rose, T.L., et al. (1983). Development and validation of a geriatric depression rating scale: a preliminary report. *Journal of Psychiatric Research*, 17, 27.

Part IV. Antidepressant Medications: Treatment Options

American Psychiatric Association. (2000a). *Diagnostic and statistical manual of mental disorders*, *Fourth Edition, Text Revised.* Washington, DC: American Psychiatric Association.

American Psychiatric Association (APA). (2000b). Practice guidelines for the treatment of patients with Major Depressive Disorder (Revision). *American Journal of Psychiatry*, 157 (Suppl. 4), 1-45.

Bezchlibnyk-Butler, K.Z. and Jefries, J. J. (2001). *Clinical handbook of psychotropic drugs, 11th Revised Edition.* Seattle: Hogrefe & Huber Publishers.

The Brown University Psychopharmacology Update. (2003). Transdermal selegiline avoids adverse effects of oral form. 14, 2, 1, 4-5.

Delgado, P. L. & Gelenberg, A. J. (1996). *Directions in psychiatric nursing*. New York: The Hatherleigh Company.

Demitrack, M.A. (2002). Can monoamine-based therapies be improved? *Journal of Clinical Psychiatry*, 63 (Supplement 2), 14-18.

DeVane, C. L. (2000). Pharmacologic characteristics of ideal antidepressants in the 21st century. *Journal of Clinical Psychiatry*, 61 (Supplement 11), 4-8.

Fava, M., Mallinckrodt, C.H., Detke, M.J., Watkin, J.G., Wohlreich, M.M. (2004). The effect of duloxetine on painful physical symptoms in depressed patients: do improvements in these symptoms result in higher remission rates? *Journal of Clinical Psychiatry*, 65, 521-530.

Fava, M. (2000). Weight gain and antidepressants. *Journal of Clinical Psychiatry*, 61 (Supplement 11), 37-41.

Fredman, S. J., Fava, M., Kienke, A. S., White, C. N., Nierenberg, A. A., & Rosenbaum, J. F. (2000). Partial response, nonresponse, and relapse with selective serotonin reuptake inhibitors in major depression: a survey of current "next-step" practices. *Journal of Clinical Psychiatry*, 61, 6, 403-408.

Garrett, B. (1999). Mood disorders, in Ballard, K., Kennedy, W. and Johnson, P. *Psychiatric Nursing*. Boston: Springhouse.

Gumnick, J. F. & Nemeroff, C. B. (2000). Problems with currently available antidepressants. *Journal of Clinical Psychiatry*, 61 (Supplement 10), 5-15.

Hu, X. H., Bull, S.A., Hunkeler, E.M., Ming, E., Lee, J.Y., Fireman, B., Markson, L.E. (2004). Incidence and duration of side effects and those rated as bothersome with selective serotonin reuptake inhibitor treatment for depression: patient report versus physician estimate. Journal of Clinical Psychiatry, 65, 959-965.

Krell, H.V., Leuchter, A. F., Morgan, M., Cook, I. A., & Abrams, M. (2004). Subject expectations of treatment effectiveness and outcome of treatment with experimental antidepressant. *Journal of Clinical Psychiatry*, 65, 1174-1179.

Kupfer, D.J. (1991) Long term treatment of depression. *Journal of Clinical Psychiatry*, 52 (supplement 5), 28-31.

Laraia, M. (1997). Biology, brain, and behavior: a psychiatric nursing perspective. Washington, DC: American Psychiatric Association.

Manning, J.S. (2003). Difficult-to-treat depressions: a primary care perspective. *Journal of Clinical Psychiatry*, 64 (Supplement 1), 24-31.

Mayo Health Clinic. (1997). Understanding Prozac. *Mayo Health Oasis*. Rochester, MN: Mayo Foundation for Medical Education and Research.

National Institute of Mental Health. (2004). The numbers count: mental disorders in America. Accessed April, 2005 at http://www.nimh.nih.gov/publicat/numbers.cfm.

Nelson, C. (2003). Managing treatment-resistant major depression. *Journal of Clinical Psychiatry*, 64, Suppl1, 5-12.

O'Brien, P.G., Kennedy, W.Z., and Ballard, K.A. (1999). *Psychiatric nursing an integration of theory and practice*. New York: Mc-Graw-Hill, 301-316.

PDR Electronic Library. (2000) Montvale, NJ: Medical Economics Company, Inc.

Prekorn, S. (1999). Outpatient management of depression: *A Guide Primary for the Care Practitioner*. PCI.

Rothschild, A. J. (2000). Sexual side effects of antidepressants. *Journal of Clinical Psychiatry*, 61 Supplement 11, 28-36.

Schatzberg, A. F. (2000). Clinical efficacy of reboxetine in major depression. *Journal of Clinical Psychiatry*, 61, Supplement 10, 31-38.

Schatzberg, A. F. (2000). New indications for antidepressants. *Journal of Clinical Psychiatry*, 61, Supplement 11, 9-17.

Schatzberg, A. F., Haddad, P., Kaplan, E. M., Lejoyeux, M., Rosenbaum, J. F., Young, A. H. & Zajecka, J. (1997). Serotonin reuptake inhibitor discontinuation syndrome: a hypothetical definition. *Journal of Clinical Psychiatry*, 58, Supplement 7, 5-10.

Schouten, R. (1999). Limiting liability in psychopharmacology. Psychopharmacology Conference, Harvard Med-CME, Oct. 7-9, 1999.

Sheline, Y.I., Gado, M.H., Kraemer, H.C. (2003). Untreated depression and hippocampal volume loss. *American Journal of Psychiatry*, 160, 1516-1518.

Shelton, R. C. (2004). The dual-action hypothesis: does pharmacology matter? *Journal of Clinical Psychiatry*, 65 (Supplement 17), 5-10.

Shelton, R. C. (2003). The use of antidepressants in novel combination therapies. *Journal of Clinical Psychiatr*, 64, Supplement 2, 14-18.

Stahl, S.M. (1996). Essential psychopharmacology: neuroscientific basis and practical applications. New York: Cambridge University Press.

Thase, M.E. (2003). New approaches to managing difficult-to-treat depressions. *Journal of Clinical Psychiatry*, 64, Supplement 1, 3-4.

Thase, M. E. (2000). Treatment issues related to sleep and depression. *Journal of Clinical Psychiatry*, 61, Supplement 11, 46-50.

Trivedi, M.H. (2003). Using treatment algorithms to bring patients to remission. *Journal of Clinical Psychiatry*, 64, Supplement 2, 8-13.

Trivedi, M.H. (2003). Texas medication algorithm project (TMAP). *Journal of Clinical Psychiatry*, 64, Supplement 2, 8-13.

U.S. Department of Health and Human Services, Agency for Health Care Policy and Research. (1993). Depression is a treatable illness: a patient's guide. Rockville, MD, Pub. No. AHCPR 93-0553.

Part V. Suicide: Identification of Risk and Interventions, What Nurses Need to Know About this Major Public Health Problem

Aging & Mental Health. (1997). 1, 2, 107-111.

American Association of Suicidology. (2003). About Suicide: Understanding and Helping the Suicidal Person. Accessed August 2003 at http://www.suicidology.org/displaycommon.cfm?an=2.

American Association of Suicidology. (2002). Rate, Number and Ranking of Suicide for Each USA State, 2000. Accessed September, 2003 at http://www.suicidology.org/associations/1045/files/2000statepg.pdf.

American Foundation for Suicide Prevention, American Association of Suicidology, Annenberg Public Policy Center. (2003). Reporting on Suicide: Recommendations for the Media. Accessed September, 2003 at http://www.afsp.org/education/newrecommendations.htm.

American Journal of Public Health. (1991). 81, 1198-1200.

American Medical Association. (2003). Protective Factors Against Suicide in African American Women. Accessed September, 2003 at

American Psychological Association. (2003). Facts About Suicide in Older Adults. Accessed September, 2003 at http://www.apa.org/ppo/issues/oldersuicidefact.html?CFID=2334084&CFTOKEN=37648225.

Beck, A.T., Steer, R.A., Beck, J.S., Newman, C.F. (1993). Hopelessness, depression, suicidal ideation, and clinical diagnosis of depression. *Suicide and Life-Threatening Behavior*, 23, 2, 139-145.

Blair-West, G. W., Cantor, C. H., Mellsop, G. W., & Eyeson-Annon, M. L. (1999). Lifetimes suicide risk in major depression: Sex and age determinants. *Journal of Affective Disorders*, 55, 171-178.

Brener, N.D., Krug, E.G., & Simon, T.R. (2000). Trends in suicidal ideation and behavior among high school students in the United States, 1991-1997. *Suicide and Life-Threatening Behavior*, 30, 304-312.

Centers for Disease Control and Prevention. (2003). 2000, United States Suicide Injury Deaths and Rates per 100,000. Accessed October, 2003.

Centers for Disease Control and Prevention. Web-based Injury Statistics Query and Reporting System (WISQARS) [Online]. (2002). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention (producer). Accessed September, 2003 at: www.cdc.gov/ncipc/wisqars.

Centers for Disease Control. (2000). Youth risk behavior surveillance-United States, 1999. *Morbidity and Mortality Weekly Report*, 49, SS-5, 1-96.

Centers for Disease Control and Prevention (1997). *Morbidity and Mortality Weekly Review,*, 46, 34, 789-792.

Centers for Disease Control and Prevention. (1996). Violence Surveillance Summary Series, No. 2.

Centers for Disease Control and Prevention (1996a). *Morbidity and Mortality Weekly Review*, 45,1, 3-6.

Clark, D.C., & Horton-Deutsch, S.L. (1992). Assessment in absentia: The value of the psychological autopsy method for studying antecedents of suicide and predicting future suicides. In R.W. Maris, A.L. Berman, J.T. Maltsberger, & R.I. Yufit (Eds.). *The Assessment and Prediction of Suicide* (pp. 144-182). New York: Guilford Press.

Ezzell, C. (2003) Why??? The Neuroscience of suicide. Scientific American, 288, 2, 44-52.

Fleischer, J. & Fillman, J. (1995). Lesbian and gay youth: treatment issues. *The Counselor*, 13, 1, 2, 27-28.

Garofalo R. (1999). Archives of Pediatric & Adolescent Medicine, May 13, 1999.

Garcia J, Adams J, Friedman L, East P (2002). Links between past abuse, suicide ideation, and sexual orientation among San Diego college students. *Journal of American College Health*, 51, 1, 9-15.

Gibbs, J.T. (1988). Conceptual, methodological, and sociocultural issues in black youth suicide: Implications for assessment and early intervention. *Suicide and Life-Threatening Behavior*, 18, 73-89.

Guze, S. B., & Robins, E. (1970). Suicide and affective disorders. *British Journal of Psychiatry*, 117, 437-438.

Hammond, W.R. (2001). Suicide Prevention: Broadening the Field Toward a Public Health Approach. Supplement to *Suicide and Life Threatening Behavior*, 32, 1. Accessed September, 2003 at http://www.cdc.gov/ncipc/pub-res/suicide_supplement/32(1)a-accessible.pdf.

Hershberger, S. L. et al. (1997) Predictors of suicide attempts among gay, lesbian, and bisexual youth. *Journal of Adolescent Research*, 12, 4, 20, 477-497.

Holkup, P.A. (author) and Hsiao-Chen, J. / Titler, M.G. (Eds). (2003). Evidence-based protocol: elderly suicide-secondary prevention. *Journal of Gerontological Nursing*, 6-17.

Institute of Medicine. (2002). Reducing Suicide: A National Imperative. Accessed September, 2003, 2003 at http://books.nap.edu/books/0309083214/html/index.html.

Joyce, B. & Wallbridge, H. (2003). Effects of suicidal behavior on a psychiatric unit nursing team. Journal of Psychosocial Nursing, 41, 3, 14-23.

Mann, J.J. (2003). The Neurobiology of Suicide. Accessed September, 2003 at http://www.afsp.org/index-1.htm.

Mann, J.J., Huang, Y., Underwood, M.D., Kassir, S.A., Oppenheim, S., Kelly, T.M., Dwork, A.J., & Arango, V. (2000). A serotonin transporter gene promoter polynorphism (5-HTLPR) and prefrontal cortical binding in major depression and suicide. *Archives of General Psychiatry*, 57, 729-738.

Mann, J.J., Oquendo, M., Underwood, M.D., Arango, V. (1999). The neurobiology of suicide risk: a review for the clinician. *Journal of Clinical Psychiatry*, 60, (Suppl 2), 7-11; discussion 18-20, 113-6.

Minino, A.M., Arias, E., Kochanek, K.D., Murphy, S.L., Smith, B.L. (2002). Deaths: final data for 2000. *National Vital Statistics Reports*, 50(15). Hyattsville, MD: National Center for Health Statistics.

Miller, T., Covington, K., & Jensen, A. (1999). Costs of injury by major cause, United States, 1995: Cobbling together estimates in measuring the burden of injuries. In S. Mulder & E.F. van Beeck (Eds.), Proceedings of a conference in Noordwijkerhout, May 13-15, 1998 (pp. 23-40). Amsterdam: European Consumer Safety Association.

Moscicki, E.K. (2001). Epidemiology of completed and attempted suicide: toward a framework for prevention. *Clinical Neuroscience Research*, 1, 310-23.

National Center for Injury Control and Prevention, Centers for Disease Control and Prevention. (2003). Suicide in the United States. Accessed September, 2003 at http://www.cdc.gov/ncipc/factsheets/suifacts.htm.

National Institute of Mental Health. (Updated April 11, 2003). Suicide Facts. Accessed July, 2003 at http://www.nimh.nih.gov/suicideprevention/suifact.cfm.

National Institute of Mental Health. National Institutes of Health (2001, Updated 2003). In Harm's Way: Suicide in America. Accessed July, 2003 at http://www.nimh.nih.gov/publicat/harmaway.cfm.

National Institute of Mental Health. (2001b). Neurobiology of Depression and Suicide.

National Institute of Mental Health. (1999, updated, 2001). Frequently Asked Questions About Suicide. Accessed September, 2003 at http://www.nimh.nih.gov/suicideprevention/suicidefag.cfm.

National Strategy for Suicide Prevention. (2003). Suicide: Lifetime risk for suicide in depression. Accessed September, 2003 at http://www.mentalhealth.org/suicideprevention/risks.asp

National Strategy for Suicide Prevention. (2003b). Suicide: Cost to the Nation. Accessed August, 2003 at http://mentalhealth.samhsa.gov/suicideprevention/costtonation.asp.

National Strategy for Suicide Prevention. (2001). National Strategy for Suicide Prevention Goals and Objectives for Action. Accessed September, 2003 at http://www.mentalhealth.org/suicideprevention/strategy.asp.

O'Carroll, P.W. (1989). Validity and reliability of suicide mortality data. *Suicide and Life-Threatening Behavior*, 19, 1-16.

Office of the Surgeon General, Department of Health and Human Services. (1999). Surgeon General's Call to Action to Prevent Suicide 1999. Accessed September, 2003 at http://www.surgeongeneral.gov/library/calltoaction/calltoaction.htm.

Pezawas, L., Stamenkovic, M., Jagsch, R., Ackerl, S., Putz, C., Stelzer, B., Moffat, R.R., Schindler, S., Aschauer, H., Kasper, S. (2002). A longitudinal view of triggers and thresholds of suicidal behavior in depression. *Journal of Clinical Psychiatry*, 63, 10, 866-873.

Ribble, D.J., Gavlick, R. & Thelander, B. (1996). Clinical Assessment and Nursing Diagnosis. In A Burgess, *Psychiatric Nursing for the 21st Century*. Stamford, CT: Appleton & Lange.

Schneidman, E.S. (1991). Key psychological factors in understanding and managing suicidal risk. *Journal of Geriatric Psychiatry*, 24, 2, 153-174.

Sherman, F.T. (2002). "I want to die": pseudo-death wishes and the search for joy in the older population (Editorial). *Geriatrics*, 57, 10, 8-9.

Silverman, M.M., Simo,n T.R/ (2001). The Houston Case Control Study of Nearly Lethal Suicide Attempts. Supplement to *Suicide and Life Threatening Behavior*, 32, 1. Accessed September, 2003 at http://www.cdc.gov/ncipc/pub-res/suicide_supplement/32(1)a-accessible.pdf.

Tsai, S.M., Kuo, C.J., Chen, C.C., Lee, H.C. (2002). Risk factors for completed suicide in bipolar disorder. *Journal of Clinical Psychiatry*, 63, 6, 469-476.

U.S. Public Health Service. (2001). *National strategy for suicide prevention: goals and objectives for action*. Rockville, MD: USDHHS.

US Department of Health and Human Services, and the Substance Abuse and Mental Health Services Administration (SAMHSA) National Clearinghouse for Alcohol and Drug Information, Youth and Suicide. Accessed September, 2003 at http://www.health.org/features/lgbt/suicide.aspx.

Valente, S. (2002). Overcoming barriers to suicide risk management. *Journal of Psychosocial Nursing*, 40, 7, 22-32.

Valente, S.M. & Saunders, J.M. (1996) Depression and treatment of major depression among people with cancer. *Cancer Nursing*, 20, 168-177.

Weissman, M.M., Bland, R.C., Canino, G.J., Greenwald, S., Hwu, H.G., Joyce, P.R., Karam, E.G., Lee, C.K., Lellouch, J., Lepine, J.P., Newman, S.C., Rubio-Stipec, M., Wells, J.E., Wickramaratne, P.J., Wittchen, H.U., Yeh, E.K. (1999). Prevalence of suicide ideation and suicide attempts in nine countries. *Psychological Medicine*, 29, 1, 9-17.

World Health Organization. (2001). World Health Report 2001: Mental Health: New Understanding, New Hope. Accessed September, 2003 at http://www.who.int/whr2001/2001/main/en/index.htm.